

## References

- Aagaard, K., L.K. Coachman 1968. The East Greenland Current I og II. ARCTIC, Journal of the Arctic Institute of North America 21, No 3.
- Andrews, J.H. & K.T. Standing (ritstj.) 1980. Marine Oil Pollution and Birds. RSPB, Sandy, Bedfordshire. 126 s.
- Anker-Nilssen, T. 1987. Metoder til konsekvensanalyser olje/sjøfugl. Viltrapport 44: 1-114.
- Anker-Nilssen, T. 1994. Identifikasjon og prioritering av miljøressurser ved akutte oljeutslipp langs norskekysten og på Svalbard. NINA Oppdragsmelding 310. 18 s.
- Anker-Nilssen, T., V. Bakken & K.-B. Strann 1988. Konsekvensanalyse olje/sjøfugl ved petroleumsvirksomhet i Barentshavet sør for 74°30'N. Viltrapport 46. 98 s.
- Anker-Nilssen, T., J.E. Østnes, P.T. Smiseth & T.H. Heggberget 1994. Mulige konsekvenser for sjøfugl ved petroleumsvirksomhet på Nornefeltet, Midt-norsk sokkel. NINA Oppdragsmelding 260: 66 s.
- Anker-Nilssen, T., V. Bakken, H. Strøm, A.N. Golovkin, V.V. Bianki & I.P. Tatarinkova (ritstj.) 2000. The status of marine birds breeding in the Barents Sea region. Norsk Polarinst. Rapport nr. 113. 213 s.
- Anker-Nilssen, T., J.O. Bustnes, K.E. Erikstad, P. Fauchald, S.-H. Lorentsen, T. Tveraa, H. Strøm & R.T. Barrett 2005. SEAPOP. Et nasjonalt sjøfuglprogram for styrket beslutningsstøtte i marine områder. NINA Rapport 1. 66 s.
- Anker-Nilssen, T., R.T. Barrett, J.O. Bustnes, K.E. Erikstad, P. Fauchald, S.-H. Lorentsen, H. Steen, H. Strøm, G.H. Systad & T. Tveraa 2006. SEAPOP studies in the Lofoten and Barents Sea area in 2005. NINA Report 127. 38 s.
- Anon. 1987. Greenland Sea Project. An international plan of the Arctic Ocean Science Board, 2. útg. Alfred Wegener Institute for Polar and Marine Research, Bremerhaven.
- Anon 1998. Report on surveys of the distribution, abundance and migration of the Norwegian spring-spawning herring, other pelagic fish and the environment of the Norwegian Sea and adjacent waters in late winter, spring and summer of 1998. ICES CM 1998/D:3.
- Anon 2000. Miljøhandlingsplan for Jan Mayen (År 2000 til 2005). Fylkemannen Nordland. Miljøvernavdelingen. Rapport 2/2000. 45 s.
- Anon, 2003. Report of the Northern Pelagic and Blue Whiting working group. ICES CM 2003/ACFM: 23.
- Anon. 2005a. Report of the North Western Working Group. ICES CM 2005/ACFM: 21.
- Anon. 2005b. The Annual ICES Ocean Climate Status Summary 2004/2005. ICES Cooperative Research Report no 275.
- Anon. 2006a. Nytjastofnar sjávar 2005/2006. Aflahorfur fiskveiðiárið 2006/2007. Hafrannsóknastofnunin. Fjölrit 126, 190 s.
- Anon. 2006b. Þættir úr vistfræði sjávar við Ísland 2005. Hafrannsóknastofnunin. Fjölrit 126, 34 s.
- Anon 2006c. Report of the Planning Group on Northeast Atlantic Pelagic Ecosystem Surveys (PGNAPES). ICES CM 2006/RMC:08.
- Arnþór Garðarsson 1997. Dreifing sjófugla vestan Íslands. Hafrannsóknastofnun. Fjölrit 57: 241-248.
- Arnþór Garðarsson 1999. The density of seabirds west of Iceland. Rit Fiskideildar 16: 155-169.
- Arnþór Garðarsson 2001. Dreifing sjófugla á hafinu við austanvert Ísland (austan 21° V). Ráðstefna um rannsóknir á lífríki sjávar á vegum Lýðveldissjóðs árin 1995-1999. 23. febrúar 2001.
- Asbirk, S., L. Berg, G. Hardeng, P. Koskimies & Ævar Petersen 1997. Population sizes and trends of birds in the Nordic countries 1978-1994. Nordic Council of Ministers. TemaNord 1997: 614. 88 s.

- Árni Friðriksson 1944. Norðurlandssíldin. (The herring of the north coast of Iceland. In Icelandic, English summary). Rit Fiskideildar 1, 1-340.
- Ásdís Auðunsdóttir, Guðmundur Hafsteinsson, Trausti Jónsson 2007. Greinargerð um veðurfar og hafís á Jan Mayen-hryggnum. Veðurstofa Íslands, Reykjavík, 43 s.
- Ásta Guðmundsdóttir, Þorsteinn Sigurðsson 2004. Veiðar og útbreiðsla íslensku sumargotssíldarinnar að haust- og vetrarlagi árin 1978-2003. Hafrannsóknastofnunin, Fjölrit, 104, 1-42
- Ástþór Gíslason 2005. Seasonal and spatial variability in egg production and biomass of *Calanus finmarchicus* around Iceland. Marine Ecology Progress Series 286, 177-192.
- Ástþór Gíslason, Ólafur S. Ástþórsson 1998. Seasonal variations in biomass, abundance and composition of zooplankton in the subarctic waters north of Iceland. Polar Biology 20, 85-94.
- Bakken, V. 1991. The distribution and diel movements of Brunnich's Guillemot *Uria lomvia* in ice covered waters in the Barents Sea, February/March 1987. Deep-Sea Res. Part B Oceanogr. Lit. Rev. 38(1): 476.
- Bakken, V. & F. Mehlum 2005. Wintering areas and recovery rates of Brunnich's Guillemots *Uria lomvia* ringed in the Svalbard Archipelago. Arctic 58(3): 268-275.
- Bakken, V., O. Runde & E. Tjørve 2003. Norsk ringmerkingsatlas. Vol. 1. Lommer - Alkefugler. Stavanger Museum, Stavanger. 431 s.
- Bakken, V., D. Boertmann, A. Mosbech, B. Olsen, Ævar Petersen, H. Ström & H. Goodwin 2006. Nordic Seabird Colony Databases: Results of a Nordic project on seabird breeding colonies in Faroes, Greenland, Iceland, Jan Mayen and Svalbard. TemaNord 2006: 512. 96 s.
- Begg, G.S., J.B. Reid, M.L. Tasker & A. Webb 1997. Assessing the vulnerability of seabirds to oil pollution: sensitivity to spatial scale. Colonial Waterbirds 20: 339-352.
- Benvenuti, S., F. Bonadonna, L. Dall'Antonia & Guðmundur A. Guðmundsson 1998. Foraging flights of breeding Thick-billed Murres (*Uria lomvia*) as revealed by bird-borne direction recorders. Auk 115(1): 57-66.
- Bjarni Richter, Steinar Þór Guðlaugsson 2007. Yfirlit um jarðfræði Jan Mayen-svæðisins og hugsanlegar kolvetnislindir. Íslenskar orkurannsóknir, ÍSOR-2007/004, Reykjavík, 33 s.
- Bjarni Sæmundsson 1934. Probable influence of changes in temperature on the marine fauna of Iceland. Rapports et Proces-Verbaux 96(1), 1-6.
- Blake, B.F., M.L. Tasker, P.H. Jones & T.J. Dixon 1983. Distribution of seabirds in the North Sea (Final report of the Nature Conservancy Council's Seabirds at Sea Team, November 1979 - November 1982). Nature Cons. Council, Edinburgh. 443 s.
- Blindheim, J., Svein Oesterhus 2005. The Nordic Seas: Main oceanographic features. The Nordic Seas: An Integrated Perspective, AGU Monograph Series 158, 370 s.
- Bloor, P.D., J.B. Reid, A. Webb, G. Begg & M.L. Tasker 1996. The distribution of seabirds and cetaceans between the Shetland and Faroe Islands. JNCC Report no. 226.
- Boertmann, D. 1994. An annotated checklist to the birds of Greenland. Medd. Grønland, Biosci. 38: 1-63.
- Boertmann, D., A. Mosbech, K. Falk & K. Kampp 1996. Seabird colonies in western Greenland (60°-79°30' N. lat.). NERI Tech. Rep. no. 170. 148 s.
- Boertmann, D., P. Lyngs, F.R. Merkel & A. Mosbech 2004. The significance of Southwest Greenland as winter quarters for seabirds. Bird Cons. Int. 14: 87-112.
- Borchers, D.L. et al. 2005. Analyses of the NASS 1987 and 2001 minke whale cue counting surveys taking account of distance estimation errors. NAMMCO Sci. Publ. 6.
- Braarud, T. 1935. The "Öst" Expedition to the Denmark strait 1929. II. The phytoplankton and its condition of growth. Norske Vidensk. Akad. Hvalråd. Skr. nr. 4.
- Bradstreet, M.S.W. & W.E. Cross 1982. Trophic relationships at high arctic ice edges. Arctic 35(1): 1-12.

- Bráðamengunarnefnd 1997. Viðbúnaður við bráðum mengunaróhöppum á sjó (Gagnaskrá). Umhverfissráðuneytið. 112 s.
- Bráðamengunarnefnd 2004. Vákort af suður- og vesturströnd Íslands frá Vík í Mýrdal að Öndverðarnesi. Umhverfissráðuneytið. 39 s. + kort.
- Brown, R.G.B. 1984. Seabirds in the Greenland, Barents and Norwegian Seas, February-April 1982. Polar Research NS 2: 1-18.
- Brown, R.G.B. 1986. Revised Atlas of Eastern Canadian Seabirds. (I. Shipboard surveys). Can. Wildl. Serv. 111 s.
- Brown, R.G.B., D.N. Nettleship, P. Germain, C.E. Tull & T. Davis 1975. Atlas of eastern Canadian seabirds. Can. Wildl. Serv. 220 s.
- Buch, E., Svend-Aage Malmberg 1988. Greenland Sea Project. Internal Report No. 5.
- Buch, E, S-A Malmberg, Stefán Kristmannsson 1996. Arctic Ocean deep water masses in the western Iceland Sea. Journal of Geophysical Research 101, 11,965-11,973.
- CAFF/CBird 2006. Murres (Distribution in the North Atlantic). Veggspjald.
- Camphuysen, C.J. 1989. Beached bird surveys in the Netherlands 1915-1988 (Seabird mortality in the southern North Sea since the early days of oil pollution). Tech. Rapp. Vogelbescherming 1. 322 s.
- Carter, I.C., J.M. Williams, A. Webb & M.L. Tasker 1993. Seabird concentrations in the North Sea: An atlas of vulnerability to surface pollutants. JNCC, Peterborough. 39 s.
- Conciliation Commission 1981. Report and Recommendations to the Governments of Iceland and Norway from the Conciliation Commission on the Continental Shelf Area between Iceland and Jan Mayen. Washington D.C, 1981.
- Conover, R.J. 1988. Comparative life histories in the genera Calanus and Neocalanus in high latitudes of the northern hemisphere. Hydrobiologia 167/168, 127-142.
- Dall'Antonia, L., Guðmundur A. Guðmundsson & S. Benvenuti 2001. Time allocation and foraging pattern of chick-rearing Razorbills in northwest Iceland. Condor 103(3): 469-480.
- Dalpadado, P., Ellertsen, B., Melle, W., Skjoldal, H.R. 1998. Summer distribution patterns and biomass estimates of macrozooplankton and micronekton in the Nordic seas. Sarsia 83, 103-116.
- Danielsen, F., H. Skov, J. Durinck & D. Bloch 1990. Marine distribution of seabirds in the Northeast Atlantic between Iceland and Scotland, June-September 1987 and 1988. Dansk Orn. Foren. Tidsskr. 84(1-2): 45-63.
- Davíð Egilson & Ævar Petersen 1993. Olfuslysið við Hjaltland í janúar 1993. Náttúrufr. 62(3-4): 113-123.
- Dement'ev, G.P., N.A. Gladkov, E.S. Ptushenko, E.P. Spangenberg, A.M. Sudilovskaya 1951-54. The Birds of the Soviet Union. Translated from Russian by A. Birron and Z.S. Cole. - Jerusalem : Israel Progr. for Sci. Transl., 1966-1970. 6 bindi, myndir + kort.
- Deutsches Hydrographisches Institut, 1980. Handbuch für das Europäisches Nordmeer. Hamborg, Þýskaland.
- DNV Consulting 2005. Areas vulnerable to acute oil pollution in the Norwegian Barents Sea. Report no. 2005-0456.
- Drange, Dokken, Furevik, Gerdes, Berger ritsj. 2005. The Nordic Seas: An integrated perspective. AGU Monograph Series 158, 370 s.
- Droplaug Ólafsdóttir, Gísli A. Víkingsson 2004. Andarnefja. Í: Páll Hersteinsson (ritstj.), Íslensk spendýr. Vaka-Helgafell, 176-179.
- Droplaug Ólafsdóttir, Gísli A. Víkingsson 2004. Búrhvalur. Í: Páll Hersteinsson (ritstj.), Íslensk spendýr. Vaka-Helgafell, 186-191.
- Dunnet, G.M. 1982. Oil pollution and seabird population. Phil. Trans. Roy. Soc. Lond. B 297: 413-427.

- Falk, K., J.-K. Jensen & K. Kampp 1992. Winter diet of Atlantic Puffins (*Fratercula arctica*) in the Northeast Atlantic. *Colonial Waterbirds* 15(2): 230-235.
- Finnur Guðmundsson 1937. Das Oberflächen netzplankton der islandischen Küsten gewässer nach den Ergebnissen einer Rundfahrt. *Ber. D. Wiss. Komm. f. Meeresforschung N.F.* 8.
- Fjeld, P.E. & V. Bakken 1993. Sårbarhets- og verneverdianalyse for sjøfugl i forbindele med leteboring etter olje/gass i Barentshavet nord (Forslag til supplerende undersøkelser). *Norsk Polarinst. Medd. nr. 123.* 67 s.
- Ford, R.G., J.A. Wiens, D. Heineman & G.L. Hunt 1982. Modelling the sensitivity of colonially breeding marine birds to oil spills: Guillemot and Kittiwake populations on Pribilof Islands, Bering Sea. *J. Appl. Ecol.* 19(1): 1-31.
- Franeker, J.A. van, C.J. Camphuysen & F. Mehlum 1998. The birds of Jan Mayen. *Circumpolar J.* 13: 28-43.
- Gísli Viggósson, Gunnur Erna Jónsdóttir, Eysteinn Már Sigurðsson 2007. Öldufar við olúleitu á Drekasvæðinu. Siglingastofnun, Reykjavík, 138 s.
- Gabrielsen, G.W. & H. Strøm 2004. Seabird research and monitoring on Jan Mayen. s. 181-194 í: S. Skreslet (ritstjóri). *Jan Mayen Island in Scientific Focus. Chapter 17. NATO Advanced Research Workshop.* Kluwer Academic Publishers. i-xv+363 s.
- GESAMP 1977. Impact of oil on the marine environment. *Gesamp Rep. Stud. no. 6.* 250 s.
- Gísli A. Víkingsson, Þorvaldur Gunnlaugsson, Sverrir D. Halldórsson, Droplaug Ólafsdóttir 2002. NASS-2001 - Icelandic shipboard survey report. *IWC SC/54/O9,* 20 pp.
- Gísli A. Víkingsson 2004. Steypireyður. Í: Páll Hersteinsson (ritstj.), Íslensk spendýr. Vaka-Helgafell, 200-203.
- Gísli A. Víkingsson 2004. Hnúfubakur. Í: Páll Hersteinsson (ritstj.), Íslensk spendýr. Vaka-Helgafell, 224-229.
- Gísli A. Víkingsson 2004. Háhyrningur. Í: Páll Hersteinsson (ritstj.), Íslensk spendýr. Vaka-Helgafell, 166-171.
- Gísli A. Víkingsson 2004. Hrefna. Í: Páll Hersteinsson (ritstj.), Íslensk spendýr. Vaka-Helgafell, 218-223.
- Gísli A. Víkingsson 2004. Langreyður. Í: Páll Hersteinsson (ritstj.), Íslensk spendýr. Vaka-Helgafell, 204-211.
- Gísli A. Víkingsson 2004. Sandreyður. Í: Páll Hersteinsson (ritstj.), Íslensk spendýr. Vaka-Helgafell, 212-217.
- Gísli A. Víkingsson og Héðinn Valdimarsson 2006. Hvalir og umhverfisþættir. Þættir úr vistfræði sjávar. *Hafrannsóknastofnunin fjölrít nr. 125.*: 30-33.
- Gísli A. Víkingsson, Pike D.G., Desportes G., Øien N., Þorvaldur Gunnlaugsson og Bloch, D. 2007 (í prentun). Distribution and abundance of fin whales (*Balaenoptera physalus*) in the Northeast and Central Atlantic as inferred from the North Atlantic Sightings Surveys 1987-2001. *NAMMCO Sci. Publ. vol 7* (in press).
- Gould, P.J. & D.J. Forsell 1989. Techniques for shipboard surveys of marine birds. *Fish and Wildl. Tech. Rep.* 25. i-iii+22 s.
- GSP Group 1990. Greenland Sea Project. (A venture toward improved understanding of the ocean's role in climate). *EOS* 71(24): 750-751, 754-755.
- Gunnar Stefánsson, Jóhann Sigurjónsson, Gísli Víkingsson 1997. Um samspil þorsks, loðnu, rækju og skíðishvala á Íslandsmiðum. Í *Fjölstofnarannsóknir 1992–1995.* Ólafur K. Pálsson og Jakob Jakobsson (ritstj.). *Hafrannsóknastofnunin, Fjölrít 57,* s. 367–377.
- Hafrannsóknastofnunin 2007. Sjór, lífríki og fiskistofnar á olúleitarvæðinu við Jan Mayen. Reykjavík, 78 s. Ritstjóri: Karl Gunnarsson.

- Hafsteinn G. Guðfinnsson 1977. Rannsóknir á þörungasvifi á tveim stöðvum í sjónum norðan Íslands í maí-júní 1961-1974. 4. árs verkefni við Háskóla Íslands, 90 s.
- Haftorn, S. 1971. Norges fugler. Universitetsforlaget, Oslo. i-xx+862 s.
- Haraldur A. Einarsson 1997. Fæða ýsu (*Melanogrammus aeglefinus*) við Ísland. Í Fjölstofnarannsóknir 1992–1995. Ólafur K. Pálsson og Jakob Jakobsson (ritstj.). Hafrannsóknastofnunin, Fjölrit 57, 69–77
- Helland-Hansen, B., F. Nansen. 1909. The Norwegian Sea. Its physical oceanography based upon the Norwegian researches 1900-1904. Report on Norwegian Fishery and Marine Investigations, Vol. II, Part I, No. 2, 390 s.
- Hentschel, E. 1933. Untersuchungen über das Kleinplankton an den Küsten von Island. Ber. D. Wiss. Komm. Meeresforsch. N.F. 6.
- Hentschel, E. 1937. Über den Ursprung der Heringsnahrung im Norden von Island. Ber. D. Wiss. Komm. f. Meeresforsch. N.F. 8.
- Héðinn Valdimarsson, Svend-Aage Malmberg 1999. Near-surface circulation in Icelandic waters derived from satellite tracked drifters. Rit Fiskideildar 16, 23-39.
- Hirche, H.-J. 1991. Distribution of dominant calanoid copepod species in the Greenland Sea during late fall. Polar Biology 11, 351-362.
- Hirche, H.-J. 1997. Life cycle of the copepod *Calanus hyperboreus* in the Greenland Sea. Marine Biology 128, 607-618.
- Hjálmar Vilhjálmsson 1994. The Icelandic capelin stock. Capelin *Mallotus villosus* (Muller) in the Iceland, Greenland, Jan Mayen area. Rit Fiskideildar 13(1), 281 s.
- Hjálmar Vilhjálmsson 1997. Climatic variations and some examples of their effects on the marine ecology of Icelandic and Greenland waters, in particular during the present century. Rit fiskideildar 15(1), 7-29.
- Hjálmar Vilhjálmsson 2002. Capelin (*Mallotus villosus*) in the Iceland–East Greenland–Jan Mayen ecosystem. ICES Journal of Marine Science 216, 870-883.
- Hjálmar Vilhjálmsson, Eyjólfur Friðgeirsson 1975. A review of 0-group surveys in the Iceland-East-Greenland area in the years 1970-1974. ICES CM 1975/H:34.
- Holmes, W.N. & J. Cronshaw 1977. Biological effects of petroleum on marine birds. Pp. 359-398 í: D.C. Malins (ritstjóri). Effects of petroleum on arctic and subarctic marine environments and organisms. Vol. II. Biological effects. Acad. Press, New York.
- Hope Jones, P., J.-Y. Monnat, C.J. Cadbury & T.J. Stowe 1978. Birds oiled during the Amoco Cadiz incident - an interim report. Mar. Poll. Bull. 9(11): 307-310.
- Huse G., Toresen R. 1996. A comparative study of the feeding habits of herring (*Clupea harengus*, Clupidae, L) and capelin (*Mallotus villosus*, Osmeridae, Müller) in the Barents Sea. Sarsia 81, 143-153.
- Höskuldur Björnsson, Halldór Narfi Stefánsson, Hersir Sigurgeirsson, Gunnar Stefánsson 1997. BORMICON. Líkan til könnunar á samspili fiskstofna í norðurhöfum Í Fjölstofnarannsóknir 1992–1995. Ólafur K. Pálsson og Jakob Jakobsson (ritstj.). Hafrannsóknastofnunin, Fjölrit 57, 379–411.
- Iðnaðar- og viðskiptaráðuneyti 1998. Leit að olú við Ísland og á nálægum hafsbotni. Skýrsla starfshóps iðnaðarráðherra. Reykjavík, 12 s.
- Isaksen, K. & V. Bakken 1995. Seabird Populations in the Barents Sea. Source data for the impact assessment of the effects of oil drilling activity. Norsk Polarinst. Medd. 135.
- Isaksen, K., V. Bakken & Ø. Wiig 1998. Potential effects on seabirds and marine mammals of petroleum activity in the Northern Barents Sea. Norsk Polarinst. Medd. 154.
- Jakob Jakobsson 1969. On herring migrations in relation to changes in sea temperature. Jökull 19, 134-145

- Jakob Jakobsson 1985. Monitoring and management of the Northeast Atlantic herring stocks. *Canadian Journal of Fisheries and Aquatic Sciences* 42, 207-221.
- Jakob Jakobsson, Gunnar Stefánsson 1999. Management of summer-spawning herring off Iceland. *ICES Journal of Marine Science* 56, 827-833.
- Jakob Jakobsson, Egill Jónsson, Ásta Guðmundsdóttir 1996. The North Icelandic herring fishery and the Atlanto-Scandian herring 1939-1969. *ICES CM 1996/H:30* 14 s.
- Jakob Jakobsson, O.J. Østvedt 1999. A review of joint investigations on the distribution of herring in the Norwegian and Iceland Seas 1950-1970. *Rit Fiskideildar* 16, 209-238.
- Jespersen, P. 1920. On the occurrence of the post larval stages of the herring and the “lodde” (*Clupea harengus* L. and *Mallotus villosus* O.F.M.) at Iceland and the Faroes. *Medd. fra Comm. For Havunders. Ser. Fiskeri* 6(1), 1-25.
- Jespersen, P. 1940a. Non-parasitic Copepoda. *Zoology of Iceland* 3, 1-116.
- Jespersen, P. 1940b. Investigations on the quantity and distribution of zooplankton in Icelandic waters. *Meddelelser fra Kommissionen for Danmarks Havundersøkelser, (Serie Plankton)* 3(5), 1-77.
- JNCC 1998. United Kingdom Digital Marine Atlas (UKDMAP) - Version 3, July 1998. Nat. Environ. Res. Council/Brit. Oceanogr. Data Centre, Bidston Obs., Birkenhead, Merseyside, LA3 7RA.
- Joiris, C.R. 2000. Summer at-sea distribution of seabirds and marine mammals in polar ecosystems: a comparison between the European Arctic seas and the Wedell Sea, Antarctica. *J. Mar. Syst.* 27: 267-276.
- Joiris, C. & J. Tahon 1987. Distribution of seabirds and cetaceans in the Northeast Atlantic and Arctic Oceans, June – August 1985. *Rapp. Procés-Verbaux Réunions* 188: 251.
- Joiris, C. & J. Tahon 1989. Distribution of seabirds and cetaceans in the N.E. Atlantic and Arctic Oceans, June – August 1985. *ICES Symposium 1987. Poster no. 101.* 1 s.
- Jóhann Sigurjónsson, Anton Galan, Gísli Víkingsson 2000. A note of stomach contents of minke whales (*Balaenoptera acutorostrata*) in Icelandic waters. *NAMMCO Sci. Publ.* 2, 82-90.
- Jóhann Sigurjónsson og Gísli A. Víkingsson 1997. Seasonal abundance of and estimated food consumption by cetaceans in Icelandic and adjacent waters. *Journal of the Northwest. Atl. Fish. Sci.*, 22:271-287.
- Jóhann Sigurjónsson, Þorvaldur Gunnlaugsson. and Payne, M. 1989. NASS-87: Shipboard sightings surveys in Icelandic and adjacent waters June-July 1987. *Rep. int. Whal. Commn* 39:395-409.
- Jóhann Sigurjónsson, Þorvaldur Gunnlaugsson, Ensor, P. Newcomer, M. og Gísli Víkingsson 1991. North Atlantic Sightings Survey 1989 (NASS-89): Shipboard surveys in Icelandic and adjacent waters July-August 1989. *Rep. int. Whal. Commn* 41:559-572.
- Jóhann Sigurjónsson, Gísli Víkingsson, Þorvaldur Gunnlaugsson, and Halldórsson, S.D. 1996. North Atlantic Sightings Survey 1995 (NASS-95): Shipboard surveys in Icelandic and adjacent waters June- July 1995. Preliminary cruise report. SC/4/17 for the NAMMCO Scientific Committee.
- Jón Sólmundsson 1997. Fæða grálúðu (*Reinhardtius hippoglossoides*) á íslenskum hafsvæðum. Í *Fjölstofnarannsóknir 1992–1995. Ólafur K. Pálsson og Jakob Jakobsson (ritstj.). Hafrannsóknastofnunin, Fjölrit* 57, 101–110.
- Jutta Magnússon 1966. On capelin larvae (*Mallotus villosus*, O.F. Müller) in Icelandic waters during the years 1960 to 1964. *Rit Fiskideildar* 4(4), 1-36.
- Kalnay, E., Kanamitsu, M., Kistler, R., Collins, W., Deaven, D., Gandin, L., Iredell, M., Saha, S., White, G., Woollen, J., Zhu, Y., Leetmaa, A., Reynolds, R., Chelliah, M., Ebisuzaki, W., Higgins, W., Janowiak, J., Mo, K. C., Ropelewski, C., Wang, J., Jenne, R., and Joseph, D. 1996. ‘NCEP/NCAR 40-year reanalysis project’, *Bulletin of the American Meteorological Society* 77, 437-471.
- Kaplan F.O. 2000. Feeding habits of harp and hooded seals in Greenland waters. Í: Gísli Víkingsson, F.O. Kaplan (ritstjórar) *NAMMCO Scientific publication* 2, 50-64.

- King, J.G. & G.A. Sanger 1979. Oil vulnerability index for marine oriented birds. *Wildlife Res. Rep.* 11: 227-239.
- Kristinn Guðmundsson 1998. Long-term variation in phytoplankton productivity during spring in Icelandic waters. *ICES Journal of Marine Science* 55, 635-643.
- Kristinn Guðmundsson, Kristín Valsdóttir 2004. Frumframleiðnimælingar á Hafrannsóknastofnuninni árin 1958-1999: Umfang, aðferðir og úrvinnsla. *Hafrannsóknastofnunin, Fjölrit* 107, 56 s.
- Kristján Geirsson 2007. Fyrirkomulag umhverfisverndarmála ásamt þeim hluta hollustuverndarmála sem fellur undir verksvið Umhverfisstofnunar. *Umhverfisstofnun, Reykjavík* (handrit).
- Kristján Lilliendahl, Jón Sólmundsson 1997. An estimate of summer food consumption of six seabird species in Iceland. *ICES Journal of Marine Science* 54, 624-639.
- Lance, B.K., D.B. Irons, S.J. Kendall & L.L. McDonald 1999. Marine Bird and Sea Otter population abundance of Prince William Sound, Alaska: Trends following the T/V Exxon Valdez Oil Spill, 1989-98. *Exxon Valdez Oil spill Restoration Project Annual Report. U.S. Fish & Wildl. Serv., Migrat. Bird Managem., Anchorage, Alaska.* 117 s.
- Lorentsen, S.-H., T. Anker-Nilssen, R.T. Kroglund & J.E. Østnes 1993. Konsekvensanalyse olje/sjøfugl for petroleumsvirksomhet i norsk del av Skagerrak. *NINA Forskningsrapport* 39. 84 s.
- Lock, A.R., J. Petrie & A. Griswold 1997. PIROP - A database for mapping seabird distribution. *Can. Wildl. Serv. Atlantic Region.* 48 s.
- Lúðvík Kristjánsson 1980. Íslenskir sjávarhættir 1. Bókaútgáfa Menningarsjóðs. 472 s.
- Lyngs, P. 2003. Migration and winter ranges of birds in Greenland. *Dansk Orn. Foren. Tidsskr.* 97(1): 1-167.
- Margrét Vala Kristjánsdóttir 2006. Undirbúningur fyrir veitingu leyfa til rannsóknar og vinnslu kolvetnis. Skýrsla unnin fyrir samráðsnefnd um landgrunns- og olíuleitarmál. *Orkustofnun, OS-2006/006, Reykjavík,* 136 s.
- Marshall, S.M., & Orr, A.P. 1972. The biology of a marine copepod. Reprinted by Springer Verlag, Berlin, 195 s.
- Mehlum, F. 1984. Konsentrasjoner av sjøfugl langs kanten af isbreer og utenfor breelver på Svalbard. *Fauna* 37(4): 156-160.
- Mehlum, F. 1989. Summer distribution of seabirds in northern Greenland and Barents Seas. *Norsk Polarinst.* nr. 191.
- Mehlum, F. 1990. Seabird distribution in the northern Barents Sea marginal icezone during late summer. *Polar Res.* 8: 61-65.
- Mehlum, F. & V. Bakken 1988. AKUP - Sluttrapport Sjøfuglundersøkelsen nord for 74° N/Bjørnøya. *Norsk Polar Inst., Oslo.* 179 s.
- Mehlum, F. & V. Bakken 1993. Seabirds in Svalbard (Norway): Status, recent changes and management. s. 155-171, í: D.N. Nettleship, J. Burger & M. Gochfield (ritstjórar). *Seabirds on Islands: Threats, Case Studies & Action Plans. Birdlife Cons. Ser.* 1. 318 s.
- Mehlum, F. & K. Isaksen 1995. The effects of sea ice on the distribution of seabirds in the northern Barents Sea. Pp. 123-132 í: K. Isaksen & V. Bakken (ritstjórar). *Seabird Populations in the Barents Sea. Source data for the impact assessment of the effects of oil drilling activity. Norsk Polarinst. Medd.* 135.
- Mehlum, F., G.L. Hunt Jr., M.B. Decker & N. Nordlund 1998. Hydrographic features, cetaceans and the foraging of marine birds in the northwestern Barents Sea. *Arctic* 51: 243-252.
- Melle W, Ellertsen B., Skjoldal H.R. 2004. Zooplankton: The link to higher trophic levels. Í: Skjoldal HR, Sætre R, Færnø A, Misund OA og Röttingen I (ritstjórar) *The Norwegian Sea Ecosystem. Tapir Academic Press, Trondheim,* s. 137-202

- Merkel, F.R., A. Mosbech, D. Boertmann & L. Grøndahl 2002. Winter seabird distribution and abundance off south-western Greenland, 1999. *Polar Res.* 21(1): 17-36.
- Moe, K.A., T. Anker-Nilssen, V. Bakken, O.W. Brude, P. Fossum, S.H. Lorentsen & G.M. Skeie 1999. Spesielt Miljøfølsomme Områder (SMO) og petroleumsvirksomhet. Implementering av kriterier for identifikasjon av SMO i norske farvann med fokus på oljeforurensning. Alpha Miljørådgivning-Havforskningsinstituttet-Norsk institutt for naturforskning-Norsk Polarinstitutt. Alpha Rapport 1007-1. Alpha Miljørådgivning. 51 s.+ Web-Atlas CD-ROM.
- Mork, K.A. 2006. Fysikk (sirkulasjon, vannmasser og klima) i Ökosystem Norske havet í Havets ressurser og miljø 2006.
- Mortensen, J. 2004. Satellite altimetry and circulation in the Denmark Strait and adjacent seas. *Hafrannsóknastofnunin, Fjölrit.* 108, 90s.
- Mosbech, A. 2000. Predicting impacts of oil spills - Can ecological science cope? (A case study concerning birds in Environmental Impact Assessments). *Nat. Env. Res. Inst., Denmark.* 126 s.
- Mosbech, A. & S.R. Johnson 1999. Late winter distribution and abundance of sea-associated birds in south-western Greenland, the Davis Strait and southern Baffin Bay. *Polar Res.* 18(1): 1-17.
- Mosbech, A., D. Boertmann, L. Grøndahl, F. von Platen, S.S. Nielsen, N. Nielsen, M. Rasch & H. Kapel 2000. Developing an environmental oil spill sensitivity atlas for the West Greenland coastal zone. s. 269-280 í: D. Bartlett & J. Smith. *GIS for Coastal Zone Management.* CRC Press.
- Mosbech, A., K.L. Anthonsen, A. Blyth, D. Boertmann, E. Buch, D. Cake, L. Grøndahl, K.Q. Hansen, H. Kapel, S. Nielsen, F. von Platen, S. Potter & M. Rasch 2000. Environmental Oil Spill Sensitivity Atlas for the West Greenland Coastal Zone (Internet-version). The Danish Energy Agency, Ministry of Environment and Energy.
- NAMMCO (North Atlantic Marine Mammal Commission) 1995. Report of the joint meeting of the Scientific Committee working groups on northern bottlenose and killer whales and management procedures. *NAMMCO Annual Report 1995:* 89-99.
- Norderhaug, M. 1989. *Svalbards fugler.* Dreyer, Oslo. 101 s.
- Olje- og energidepartementet 1997. *Oljeleting i det nordlige Barentshavet (Sammenfatning av mulige virkninger).* Oslo. Oktober.
- Norwegian Technology Standards Institution (NTS), 1999. *NORSOK Standard. Actions and Action Effects.* N-003 Rev.1, 1999. Osló, 85 s.
- Overland, J.E., 1990. Prediction of Vessel Icing for Near-Freezing Sea Temperatures. *Weather and Forecasting,* 5, 62-77.
- Ólafur K. Pálsson 1974. Investigations on the food of young fish (0-group) in Icelandic waters. (In Icelandic. English summary). *Náttúrufræðingurinn* 44(1), 1-21
- Ólafur K. Pálsson, Jakob Jakobsson (ritstj.) 1997. *Fjölstofnarannsóknir 1992 – 1995.* Hafrannsóknastofnunin, Fjölrit 57.
- Ólafur S. Ástþórsson, Ástþór Gíslason 1995. Long term changes in zooplankton biomass in Icelandic waters in spring. *ICES Journal of Marine Science* 52, 657-668.
- Ólafur S. Ástþórsson, Ástþór Gíslason 1997a. Biology of euphausiids in the subarctic waters north of Iceland. *Marine Biology* 129, 319-330.
- Ólafur S. Ástþórsson, Ástþór Gíslason 1997b. On the food of capelin in the subarctic waters north of Iceland *Sarsia* 82, 81-86.
- Ólafur S. Ástþórsson, Ástþór Gíslason 2002. Seasonal variations in abundance, development and vertical distribution of *Calanus finmarchicus*, *C. hyperboreus* and *C. glacialis* in the East Icelandic Current. *Journal of Plankton Research* 25, 843-854.

- Ólafur S. Ástþórsson, Ástþór Gíslason, Ásta Guðmundsdóttir 1994. Distribution, abundance and length of pelagic juvenile cod in Icelandic waters in relation to environmental conditions. Í: Jakob Jakobsson [et al.] (ritstj.): Cod and Climate Change, Reykjavík 1993. ICES Marine Science Symposia 198, 529-541.
- Ólafur S. Ástþórsson, Ástþór Gíslason, Guðmundur S. Jónsson 1995. Zooplankton biomass and composition in the western Iceland Sea during autumn. Extended Abstracts Volume from a Symposium on Nordic Seas, Hamburg. Arctic Ocean Science Board and Sonderforschungsbereich „Processes relevant to climate“, 21-24.
- Paulsen, O. 1904. Plankton investigation in the waters around Iceland. Med. Om. Havundersøg. Kbh. Serie Plankton I, 1.
- Paulsen, O. 1906. Studies on the biology of *Calanus finmarchicus* in the waters round Iceland. Meddelelser fra Kommissjonen for Havundersøkelser, (Serie Plankton) 1(4), 1-21.
- Paulsen, O. 1909. Plankton investigation in the waters around Iceland and in the North Atlantic in 1904. Med.KOm.Havundersøg. Kbh.Serie Plankton I, 8.
- Petersen, I.K. 1993. Fugleforekomster på havet mellom Nordisland, Jan Mayen og Østgrønland. s. 28 í: Bestandsendringer hos alkefugl i Norden. Nordisk Workshop, Trondheim, Óbirt skýrsl. 54 s.
- Petersen, I.K. 1995. Alkefugles antal og fordeling i forhold til hydrografi og produktionsforhold i havet mellem Island, Jan Mayen og Østgrønland efterårene 1987 til 1991. Københavns Universitet. Specialrapport i Ornithologi. 61 s.
- Peterson, C.H., S.D. Rice, J.W. Short, D. Esler, J.L. Bodkin, B.E. Ballachey & D.B. Irons 2003. Long-term ecosystem response to the Exxon Valdez oil spill. Science 302: 2082-2086.
- Pike, D.G., Þorvaldur Gunnlaugsson, Gísli A. Víkingsson, G. Desportes, B. Mikkelsen 2003. Surface abundance of northern bottlenose whales (*Hyperoodon ampulatus*) from NASS-1995 and 2001 shipboard surveys. NAMMCO/SC/11/AE/11, 12 s.
- Pike, D.G., C.G.M. Paxton, Þorvaldur Gunnlaugsson, Gísli A. Víkingsson 2004. Trends in the distribution and abundance of cetaceans in Icelandic coastal waters from areal surveys, 1986-2001 NAMMCO SC/12/11, 48 s.
- Pike, D.G., Gísli A. Víkingsson, Þorvaldur Gunnlaugsson og Øien N. 2007a. A note on the distribution and abundance of blue whales (*Balaenoptera musculus*) in the Central and Northeast North Atlantic. NAMMCO Sci.Publ. vol 7.
- Pike, D.G., Þorvaldur Gunnlaugsson, Gísli A. Víkingsson., Desportes, G. and Bloch, D. 2007b. Estimates of the abundance of minke whales (*Balaenoptera acutorostrata*) from Faroese and Icelandic NASS shipboard surveys. NAMMCO Sci.Publ. vol 7.
- Podelov, V., K.T. Nielssen, V. Svetoshev, T. Haug. 2000. Feeding habits of harp (*Phoca groenlandica*) and hooded seals (*Cystophora cristata*) during late winter, spring and early summer in the Greenland Sea. Í: Gísli Víkingsson, F.O. Kaplan (ritstjórar) NAMMCO Scientific publication 2, 40-49.
- Pollock, C., J.B. Reid, A. Webb & M.L. Tasker 1997. The distribution of seabirds and cetaceans in the waters around Ireland. JNCC Report no. 297.
- Pollock, C.M., R. Mavor, C.R. Weir, A. Reid, R.W. White, M.L. Tasker, A. Webb & J.B. Reid 2000. The distribution of seabirds and marine mammals in the Atlantic Frontier, north and west of Scotland. JNCC, Peterborough.
- Poulain P-M, A. Warnas, P.P. Niiler 1996. Near surface circulation of the Nordic Seas as measured by Lagrangian drifters. Journal of Geophysical Research, 101, C8.,18237-18258.
- Reeves, R.R. 1998. Distribution, abundance and biology of ringed seals (*Phoca hispida*): an overview. Í: Heide-Jørgensen, M.P., C. Lydersen (ritstjórar) NAMMCO Scientific publication 1, 229-241.
- Richardson, W.J. 1995., Green, C.R., Malme, C.I. og Thomson, D.H. 1995. Marine mammals and noise. Academic Press, San Diego, CA.

- Robertson, A. 1998. Petroleum hydrocarbons. Í: AMAP Assessment Report: Arctic Pollution Issues. Arctic Monitoring and Assessment Programme (AMAP), Oslo, Norway, 661-716.
- Rowles, T., Ketten, D., Ewing, R. o.fl. 2000. Mass stranding of multiple cetacean species in the Bahamas on March 15-17, 2000. IWC SC/52/E28.
- Sagex AS 2006. Preparations for awarding licenses for exploration and production of hydrocarbons. Project G-1. Basic premises, possible development paths and scenarios. Iðnaðarráðuneytið, Reykjavík, 65 s.
- Samuels, W.B. & A. Ladino 1983. Calculation of seabird population recovery from potential oil spills in the mid-Atlantic region of the United States. *Ecol. Model.* 21: 63-84.
- Schäfer, P., W. Ritzrau, M. Schlüter, J. Thiede (ritstjórar) 2001. The Northern North Atlantic. A Changing Environment. Springer Verlag Heidelberg, 500 s.
- Seip, K.L., E. Sandersen, F. Mehlum & J. Ryssdal 1991. Damages to seabirds from oil spills: comparing simulation results and vulnerability indexes. *Ecol. Model.* 53(1-2): 39-59.
- Siegstad, H. P.B. Neve, M.P Heide-Jørgensen, T. Härkönen 1998. The diet of ringed seal (*Phoca hispida*) in Greenland. Í: Heide-Jørgensen, M.P., C. Lydersen (ritstj.) NAMMCO Scientific publication 1, 9-45.
- Sigurður Þ. Jónsson 1997. Fæða ufsa (*Pollachius virens*) við Ísland. Í Fjölstofnarannsóknir 1992–1995, Ólafur K. Pálsson og Jakob Jakobsson (ritstj.). Hafrannsóknastofnunin, Fjölrit 57, 45–56.
- Skaug, H.J., Øien, N., Schweder, T. and Bøthun, G. 2004. Abundance of minke whales (*Balaenoptera acutorostrata*) in the Northeast Atlantic: variability in time and space. *Can. J. Fish. Aquat. Sci.* 61: 870–886.
- Skov, H., J. Durinck, M.F. Leopold & M.L. Tasker 1995. Important Bird Areas for seabirds in the North Sea (including the Channel and the Kattegat). *BirdLife Int.*, Cambridge. 156 s.
- Skov, H., A. Upton, J. Reid, A. Webb, S. Taylor & J. Durinck 2002. Dispersion and vulnerability of marine birds in Faroese waters. Joint Nature Conservation Committee, Aberdeen. 106 s.
- Speich, S.M, D.A. Manuwal & T.R. Wahl 1991. The bird/habitat oil index - a habitat vulnerability index based on avian utilization. *Wildl. Soc. Bull.* 19(2): 216-221.
- Statens forurensningstilsyn 2004. Beredskap mot akutt forurensning (Model for prioritering av miljøressurser ved akutte oljeutslipp langs kysten). Statens forurensningstilsyn 1765/2000. 17 s.
- Stemann-Nielsen, E. 1935. The production of phytoplankton at the Faroe Isles, Iceland, East Greenland and the waters around. *Medd. fra Kom. for Danm. Fiskeri- og Havundersökelse.* Plankton. Bind III. Nr, 1.
- Steingrímur Jónsson 1991. Seasonal and interannual variability of wind stress curl over the Nordic Seas. *Journal of Geophysical Research* 96, 2649–2659.
- Steingrímur Jónsson, 1992. Sources of fresh water in the Iceland Sea and the mechanisms governing its interannual variability. *ICES Marine Science Symposia* 196, 62–67.
- Steingrímur Jónsson, Jóhannes Briem 2003. The transport of water and fresh water with the East Icelandic Current. *ICES CM* 2003/T:05.
- Steingrímur Jónsson, Héðinn Valdimarsson 2004. A new path for the Denmark Strait overflow water from the Iceland Sea to the Denmark Strait. *Geophysical Research Letters*, 31, L03305.
- Stone, C.J., A. Webb, C. Barton, N. Ratcliffe, T.C. Reed, M.L. Tasker, C.J. Camphuysen, M.W. Pienowski 1995. An atlas of seabird distribution in north-west European waters. Joint Nature Conservation Committee, Peterborough. 326 s.
- Strøm, H., I.J. Øien, J. Opheim, E.A. Kuznetsov & G.V. Khakhin 1994. Seabird censuses on Novaya Zemlja 1994. *Norwegian Ornithological Soc. Report no. 2-1994.* 38 s.
- Sveinn Sveinbjörnsson, Einar Hjörleifsson 2001. Report on the 0-group fish survey in Icelandic waters, August-September 2001. Addendum to the NWWG-report. *ICES C.M.* 2001/ACFM: 20.

- Sveinn Sveinbjörnsson, Einar Hjörleifsson 2002. Report on the 0-group fish survey in Icelandic waters, August 2002. Addendum to the NWWG-report. ICES C.M. 2002/ACFM: 20.
- Sveinn Sveinbjörnsson, Einar Hjörleifsson 2003. Report on the 0-group fish survey in Icelandic waters, August 2003. Addendum to the NWWG-report. ICES C.M. 2001/ACFM: 20.
- Swift, J.H. 1980. Seasonal processes in the Iceland Sea. Ph.D. Thesis, University of Washington, 296 s.
- Swift, J.H., Knut Aagaard, Svend-Aage Malmberg 1980. The contribution of the Denmark Strait overflow to the deep North Atlantic. *Deep-Sea Research* 27, 29-42.
- Swift, J.H., Knut Aagaard 1981. Seasonal transitions and water mass formation in the Iceland and Greenland Seas. *Deep Sea Research* 28, 1107-1129.
- Tasker, M.L. & M.W. Pienkowski 1987. Vulnerable concentrations of birds in the North Sea. Nature Conservancy Council, Peterborough. 39 s.
- Tasker, M.L., P. Hope-Jones, T. Dixon & B.F. Blake 1984. Counting seabirds at sea from ships: a review of methods employed and a suggestion for a standardized approach. *Auk* 101(3): 567-577.
- Tasker, M.L., A. Webb, A.J. Hall, M.W. Pienkowski & D.R. Langlow 1989. Seabirds in the North Sea. (Final report of phase 2 of the Nature Conservancy Council Seabirds at Sea Project November 1983 – October 1986). Nature Conservancy Council, Aberdeen. 336 s.
- Tasker, M.L., A. Webb, N.M. Harrison & M.W. Pienkowski 1990. Vulnerable concentrations of marine birds west of Britain. Joint Nature Conservation Committee, Peterborough.
- Taylor, S.J. & J.B. Reid 2001. The distribution of seabirds and cetaceans around the Faroe Islands. Joint Nature Conservation Committee. 68 s.
- UK Hydrographic Office 2004. *The Mariner's Handbook*, (8th edition), Somerset, England.
- Umhverfissráðuneyti, sjávarútvegsráðuneyti, utanríkisráðuneyti 2004. Hafið. Stefna íslenskra stjórnvalda. Reykjavík.
- Uppala, S.M. o.fl., 2005. The ERA-40 re-analysis, *Quarterly Journal of the Royal Meteorological Society*, 131, 2961-3012.
- Unnsteinn Stefánsson 1962. North Icelandic Waters. *Rit Fiskideildar* 3, 1-269.
- Unnsteinn Stefánsson 1999. Hafið, Háskólaútgáfan 480 s.
- Wells, P.G., Percy, J.A. 1985. Effects of oil on Arctic invertebrates. Í: Engelhardt, FR (ritstj.), *Petroleum effects in the Arctic environment*. Elsevier Applied Science Publishers Essex, England, 101-156.
- Webb, A., N.M. Harrison, G.M. Leaper, R.D. Steele, M.L. Tasker & M.W. Pienkowski 1990. Seabird distribution west of Britain (Seabird distribution west of Britain. (Final report of phase 3 of the Nature Conservancy Council Seabirds at Sea Project November 1986 - March 1990). Nature Conservancy Council, Aberdeen. 282 s.
- Webb, A., A. Stronach, M.L. Tasker & C.J. Stone 1995. Vulnerable concentrations of seabirds south and west of Britain. Joint Nature Conservation Committee, Peterborough.
- Wiese, F.K. 2002. Estimation and impacts of seabird mortality from chronic marine oil pollution off the coast of Newfoundland. *Mem. Univ. Newfoundland*. Ph.D. thesis. 321 s.
- Wiese, F.K. & I.L. Jones 2001. Experimental support for a new drift block design to assess seabird mortality from oil pollution. *Auk* 118(4): 1062-1068.
- Wiese, F.K., W.A. Montevecchi, G.K. Davoren, F. Huettmann, A.W. Diamond & J. Linke 2001. Seabirds at risk around offshore oil platforms in the North-west Atlantic. *Marine Poll. Bull.* 42(12): 1285-1290.
- With, C. 1915. Copepoda I. Calanoida Amphiscandria. *Den Danske Ingolf Expedition* 3(4), 1-270.
- Williams, J.M., M.L. Tasker, I.C. Carter & A. Webb 1995. A method of assessing seabird vulnerability to surface pollutants. *Ibis* 137 (suppl.): 147-152.

- Working Group on Seabird Ecology (WGSE) 2002. Report of the Working Group on Seabird Ecology (WGSE). ICES CM 2002/C:04. Ref. ACME, ACE, E and F. 72 s.
- Working Group on Seabird Ecology (WGSE) 2005. Report of the Working Group on Seabird Ecology (WGSE). ICES CM 2005/G: 07. Ref. ACME, ACE. 49 s.
- Working Group on Seabird Ecology (WGSE) 2006. Report of the Working Group on Seabird Ecology (WGSE). ICES CM 2006/LRC:08. Ref. ACE, ACME. 80 s.
- Würsig, B. og Richardson, W.J. 2002. Effects of noise. Encyclopedia of marine mammals. Academic Press, 1414 s.
- Þorsteinn Sigurðsson, Ólafur S. Ástþórsson 1991. Aspects of the feeding of capelin (*Mallotus villosus*) during autumn and early winter in the waters north of Iceland. ICES CM 1991/H49, 16 s.
- Þorvaldur Gunnlaugsson, Gísli Víkingsson 2001. Trends in humpback whale (*Megaptera novaeangliae*) sightings rates from aerial surveys in Icelandic waters during 1986-2001. NAMMCO, SC/9/18 2001, 6 s.
- Þorvaldur Gunnlaugsson, Gísli A. Víkingsson, Pike, D.G. 2004. Comparison of sightings rates from NASS and other dedicated cetacean vessel effort around Iceland during 1982 to 2003. IWC SC/56/O 5.
- Þorvaldur Gunnlaugsson, Jóhann Sigurjónsson 1990. NASS-87: Estimation of whale abundance based on observations made onboard Icelandic and Faroese survey vessels. Rep.int.Whal.Comm, 40: 571-80.
- Þórunn Þórðardóttir 1956. Undersøkelser av fytoplanktonet i fire snitt ut fra Islands nordkyst 31/7-9/8, 1950. Supplert ved tre statsjoner fra juni 1953. Magistergradsoppgave i marin biologi, 177 s.
- Þórunn Þórðardóttir 1976. Preliminary assessment of the annual production in the shelf area around Iceland. ICES CM 1976 / L: 32 Plankton Committee.
- Þórunn Þórðardóttir 1977a. Framleiðni þörungasvifsins í sjónum við Ísland. Rit Landverndar 5, 33-42.
- Þórunn Þórðardóttir 1977b. Primary production in North Icelandic Waters in relation to recent climatic changes. Í: Polar Oceans. Proceedings of the polar oceans conference held at McGill University, Montreal, May 1974, bls. 655-665, ritstýrt af M.J.Dunbar. Arctic Institute of America, Canada. 681 s.
- Þórunn Þórðardóttir 1984. Primary production north of Iceland in relation to water masses in May-June 1970-1980. ICES CM 1984/L:20, 17 s.
- Ævar Petersen 1998. Íslenskir fuglar. Vaka-Helgafell, Reykjavík. 312 s.
- Ævar Petersen 2007. Fuglalíf á fyrirhuguðum olíuleitarsvæðum á Jan Mayen hryggnum. Náttúrufræðistofnun Íslands, Reykjavík, 27 s.
- Øien, N. 2003. Distribution and abundance of large whales in the Northeast Atlantic, 1995. SC/11/MF/10 for the NAMMCO Scientific Committee.
- Øien, N. & Hartvedt, S. 2003. Distribution of fin whales in the Northeast Atlantic, based in incidental sightings, 1967-2002. SC/11/MF/18 for the NAMMCO Scientific Committee, 4 s.
- Øien, N. 2004. Distribution and abundance of large whales in the northeast Atlantic, based on data from partial coverages 1996-2001. NAMMCO SC/12/20.
- Øien, N. and Bøthun, G. 2005. Trends in local abundance of large whales in the Northeast Atlantic, based on Norwegian surveys 1987-2004. IWC SC/57/O11.